

Index to Volume Eleven

Index of Issues: January-March 1-58; April-June 59-118; July-September 119-184; Supplement to July-September 185-266; October-December 267-330; Supplement to October-December 331-470.

INDEX OF AUTHORS

- A**
- Akaydin A, 416
 Aksoy M, 347
 Alessi E, 407
 Alexander WJ, 156
 Alfa MJ, 131
 Altinok T, 414
 Andrews BE, 10
 Ariyarat C, 404
 Arya OP, 10
 Ashton FE, 296
- B**
- Bakioglu I, 347
 Beaudet R, 296
 Belda W, 420, 422
 Belda W Jr, 420
 Bell TA, 291
 Berg SW, 28, 30, 314
 Bhutani LK, 164
 Bisailon J-G, 296
 Black JR, 96
 Bohbot J-M, 391
 Bollerup AC, 308
 Borchardt KA, 59
 Bovet R, 398
 Braun P, 123
 Britt EM, 301
 Butzler J-P, 456
 Bygdeman SM, 366
- C**
- Calanchini E, 398
 Caliendo JJ, 81
 Calubiran OV, 382
 Capdevila JM, 396
 Carlson BL, 312
 Catalan F, 391
 Cates W Jr, 113
 Causse GY, 333
 Chitwarakorn A, 404
 Cohen AI, 24
 Cohen MS, 96
 Conant MA, 94
 Cooperative Study Group for
 Aplastic and Refractory
 Anemias The, 343
 Cortes HL, 425
 Crider SR, 314
 Crocchiolo PB, 454
 Curran J, 72
- D**
- D'Costa LJ, 72, 304, 376
 Daems A, 456
 de Hoop D, 379
 De Goes Siqueira LF, 422
 de Parra CS, 425
 den Boer MS, 379
 Dessens-Kroon M, 364
 Dillon J-AR, 353
 Dincol G, 347
 dos Santos MFQ Jr, 420, 422
 Drummond L, 1
 Duangmani C, 148
 Dubreuil D, 296
 Dylewski J, 6
- E**
- Echeverria P, 148
 Eisen R, 34
 Embree J, 81
 Erdem S, 347
- F**
- Fagundes LJ, 422
 Fast MV, 72
 Felmingham D, 410, 432
 Fennell CL, 18
 Ferrari V, 336
 Ferrer RM, 91
 Finegold SM, 430
 Fiumara NJ, 34, 267
 Francisco W, 422
- G**
- Gerson M, 85
 Giz H, 414
 Graves S, 1
 Griffith H, 156
- H**
- Haley JV, 68
 Haley MS, 312
 Hamelin C, 85
 Hamilton R, 59
 Hanff PA, 275
 Harrison WO, 28, 30, 314
 Henrion RM, 441
 Hira SK, 167
 Holmes JR, 156
- Holmes KK, 77, 159, 291
 Hook EW III, 77
 Housch JG, 156
 Hubrechts J-MH, 456
- I**
- Ilako F, 376
- J**
- Jequier N, 398
 Jones RB, 287
- K**
- Kampmeier RH, 41, 169, 186,
 188, 197, 200, 228, 318
 Karasira P, 72, 304
 Kerbs SB, 28, 30
 Kerbs SBJ, 314
 Kilpatrick ME, 314
 Kim J-H, 386
 Knapp JS, 77
 Komaroff AL, 123
 Kouri YH, 91
 Kraiselburd EN, 91
 Krieger J, 173
 Krieger JN, 100
 Kristensen JK, 32
 Kumar AS, 164
 Kunz J, 449
 Kutlar A, 347
- L**
- Lambert M, 36
 Lancaster DJ, 30
 Latif AS, 454
 Lencioni R, 454
 Lhuillier N, 391
 Lind I, 360
 Lombardi C, 422
 Loo PSL, 410
 Lovett MA, 275
- M**
- Macciocchi A, 449
 Maclean IW, 72, 304
 Maggwa ABN, 6
 Maggwa N, 304
 Mahood J, 59
 Maitha G, 6
- Mallinson H, 10
 Mangioni C, 444
 Marca G, 444
 Mardh P-A, 366, 428
 Mascaro JM, 396
 McCormack WM, 81, 185
 Medina JS, 425
 Miller JN, 275
 Mirza N, 72
 Monti M, 407
 Moore J, 271
 Moroni M, 444
 Mumtaz G, 432
 Murat A, 414
- N**
- Ndinya-Achola, 376
 Noble RC, 24, 68, 152
 Norris SJ, 275
 Notowicz A, 379
 Nsanze H, 6, 72, 304, 376
- O**
- O'Connor R, 148
 O'Hare M, 432
 Oran M, 414
 Oriel JD, 410
 Ortega HB, 59
 Ortega P, 59
 Ortisi G, 444
 Ostrow DG, 182
 Owili DM, 376
- P**
- Pandhi RK, 164
 Panikabutra K, 148, 404
 Pappius EM, 123
 Parekh MC, 68, 152
 Pauze M, 353
 Petzoldt D, 468
 Piot P, 6, 72, 376
 Pitarangsi C, 148
 Plummer FA, 6, 304
 Portnoy J, 85
- R**
- Ray BS, 287
 Reichman RC, 271
 Rein MF, 24, 137
 Reller LB, 77

Reyes RR, 68
 Ridgway GL, 432, 465
 Robertson JA, 131
 Ronald AR, 6, 72, 304
 Rosey CE, 301
 Ross MW, 119

S

Saensanoh C, 404
 Saito I, 460
 Sakellarides E, 398
 Sanchez PL, 30
 Sandstrom EG, 77, 366
 Santambrogio A, 407
 Santos C, 400
 Satish DA, 164

Schachter J, 64
 Scheibel JH, 32
 Sherman H, 123
 Short SL, 271
 Siboulet A, 391
 Sillis M, 10
 Smith CD, 94
 Solok V, 416
 Soontharak A, 404
 Spicer DW, 94
 Stamm WE, 18
 Stockman DL, 271
 Stolz E, 373, 379
 Strugnell R, 1
 Suvongse C, 148
 Swenson CE, 64
 Sylvestre M, 296

T

Taylor DN, 148
 Theodoridis GC, 137
 Thompson SE, 77
 Torres CA, 382
 Trupei MA, 271
 Tupasi TE, 382
 Turgeon P, 296
 Turshen LJ, 137

V

van Klingerden B, 364, 379
 van Wijngaarden LJ, 364
 van der Hoek J, 379
 Vanhoof RL, 456
 Vige PM, 441

Vizconde LC, 382
 Vosseler MG, 123

W

Westrom L, 437
 White CC III, 137
 Wolinsky SM, 271
 Wong ES, 18

Y

Yunis AA, 340

Z

Zajdowicz TR, 28
 Zwickl BW, 287

INDEX OF SUBJECTS

A

- Abscess, cutaneous gonococcal (Fiumara & Eisen), 34
- Age, and risk of syphilis, gonorrhea, and pelvic inflammatory disease, in sexually active U. S. women (Bell & Holmes), 291
- American Neisserian Medical Society (Kampmeier), 188
 - charter members of, 235
 - Committee for Survey of Research on the Gonococcus and Gonococcal Infections of, 260
 - constitution and bylaws of, 257
 - elected members of executive committees of, 234
 - officers of, 232
 - programs of annual meetings of, 236
- American Venereal Disease Association (Kampmeier), 185
 - awards by, 261
 - constitution and bylaws of, 262
 - elected members of executive committees of, 234
 - history of, appendices to, 231
 - epilogue to, 228
 - the interim or war years (1942-1947), 197
 - introduction to, 186
 - of the years of the American Neisserian Medical Society (1934-1942), 188
 - of the years of the American Venereal Disease Association (1947-1983), 200
 - officers of, 232
 - programs of annual meetings of, 239
- Ampicillin, with probenecid, vs. rosoxacin, for gonorrhea (Cohen; Rein & Noble), 24
- Anemia
 - aplastic, due to chemicals and drugs (Aksoy & others), 347
 - toxic etiology of (Cooperative Study Group for Aplastic and Refractory Anemias), 335
- Antimicrobial agents
 - resistance to, by *N. gonorrhoeae* (Dillon & Pauzé), 353
 - worldwide (Causse), 333
- Aplastic anemia
 - due to chemicals and drugs (Aksoy & others), 347
 - toxic etiology of (Cooperative Study Group for Aplastic and Refractory Anemias), 343

B

- Bangkok, Thailand, role of *H. ducreyi* in penile ulcers in (Taylor & others), 148

C

- Cefotaxime
 - for gonorrhea, vs. thiamphenicol (Notowicz & others), 379
 - for *H. ducreyi* infection, in Kenya (Plummer & others), 304
 - susceptibility of *N. gonorrhoeae* auxotypes to (Noble & Parekh), 152
- Ceftizoxime, for urethritis caused by penicillinase-producing *N. gonorrhoeae* (Harrison & others), 30
- Ceftriaxone, single-dose, for gonococcal conjunctivitis (Zajdowicz & others), 28

Cefuroxime

- in vitro susceptibility of *N. gonorrhoeae* to, in Denmark—1979 (Bollerup), 308
- susceptibility of *N. gonorrhoeae* auxotypes to (Noble & Parekh), 152
- Centrifugation, Percoll density gradient, for purification of *T. pallidum*, Nichols strain (Hanff & others), 275
- Chancroid, male, thiamphenicol for (Latif; Crocchiolo & Lencioni), 454
- Children, with gonorrhea; infections in sexual contacts and associates of (Alexander & others), 156
- Chlamydia trachomatis*
 - activity of thiamphenicol against (Ridgway & others), 432
 - and epididymitis (Kristensen & Scheibel), 32
 - (TRIC agent), infection with (Kampmeier), 169
 - upper genital tract infection with, and infertility, in mice (Swenson & Schachter), 64
- Chloramphenicol, in vitro toxicity of, vs. thiamphenicol and nitrochloramphenicol (Yunis), 340
- Committee for Survey of Research on the Gonococcus and Gonococcal Infections, of American Neisserian Medical Society (Kampmeier), 260
- Condoms, as barrier to herpes simplex infection transmission (Conant; Spicer & Smith), 94
- Condylomata lata, of toeweb (Hira), 167
- Conjunctivitis, gonococcal, single-dose ceftriaxone for (Zajdowicz & others), 28
- Cutaneous gonococcal abscess (Fiumara & Eisen), 34

D

- Denmark, in vitro susceptibility of *N. gonorrhoeae* to cefuroxime, penicillin, and tetracycline in, in 1979 (Bollerup), 308
- DNA restriction endonuclease analysis, with *EcoRI*, for identification of herpes simplex viruses (Gerson; Portnoy & Hamelin), 85
- Drug eruptions, fixed, on male genitalia (Pandhi & others), 164

E

- EcoRI*, DNA restriction endonuclease analysis with, for identification of herpes simplex viruses (Gerson; Portnoy & Hamelin), 85
- Enteric pathogenic protozoa, in homosexual men from San Francisco, (Ortega & others), 59
- Epididymitis (Krieger), 173
 - acute, and *C. trachomatis*, (Kristensen & Scheibel), 32
- Erythromycin, susceptibility of *N. gonorrhoeae* auxotypes to (Noble & Parekh), 152

G

- Gardnerella vaginalis*, susceptibility of, to thiamphenicol, in nonspecific vaginitis (Hubrechts & others), 456
- Genital herpes simplex infection, inapparent, in women at venereal disease clinic (Ferrer; Kraiselburd & Kouri), 91
- Genital mycoplasmas, and *N. gonorrhoeae*, isolated from male urethra, coexistence of (Alfa & Robertson), 131
- Genital tract
 - female, mixed infections of, thiamphenicol prophylaxis and treatment of (Moroni & others), 444

- upper, chlamydial infection of, infertility after, in mice (Swenson & Schachter), 64
- Genital ulcer disease, clinical diagnosis of, in men in tropics (Fast & others), 72
- Gonococcal abscess, cutaneous (Fiumara & Eisen), 34
- Gonococcal conjunctivitis, single-dose ceftriaxone for (Zajdowicz & others), 28
- Gonococcal infection(s)
- disseminated, and *N. gonorrhoeae* serogroup (Sandström & others), 77
 - incidence of, with presence of AHU auxotype of *N. gonorrhoeae* (Noble & others), 68
 - thiamphenicol for, vs. penicillin and spectinomycin (Tupasi & others), 382
- Gonococcal osteomyelitis (Black & Cohen), 96
- Gonorrhea. *See also* Gonococcal infection(s); *Neisseria gonorrhoeae*
- case finding for, in asymptomatic men, cost-effectiveness analysis for (Pappius & others), 123
 - children with, infections in sexual contacts and associates of (Alexander & others), 156
 - clinical aspects of (discussion), 418
 - extragenital, thiamphenicol for (Calanchini & others), 398
 - microbial aspects of (discussion), 371
 - moxalactam for, with uncomplicated infection in women, (Jones; Ray & Zwickl), 287
 - rosoxacin vs. ampicillin plus probenecid for (Cohen; Rein & Noble), 24
 - in sexually experienced U. S. women, age-specific risks of (Bell & Holmes), 291
 - thiamphenicol for (Alessi; Monti & Santambrogio), 407
 - clinical trial of (Belda & others), 422
 - with extragenital infection (Calanchini & others), 398
 - one-minute (Siboulet & others), 391
 - single-dose (Mascaro & Capdevila), 388; (Murat & others), 414
 - in Kenya (Nsanze & others), 376
 - study of in 4,500 males (Santos), 400
 - with uncomplicated infection (Stolz), 373
 - intramuscular vs. oral route for (Panikabutra & others), 404
 - vs. spectinomycin (Kim), 386
 - vs. cefotaxime (Notowicz & others), 379
- Gonorrhea contacts, management of, decision analytic approach to (Turshen & others), 137
- Granuloma inguinale (Kampmeier), 318
- H**
- Haemophilus ducreyi*
- infection with, in Kenya, cefotaxime for (Plummer & others), 304
 - in penile ulcers, in Bangkok, Thailand (Taylor & others), 148
 - primary isolation of, comparison of media for (Nsanze & others), 6
- Herpes genitalis, as a clinical puzzle for two centuries (Kampmeier), 41
- Herpes simplex infection; genital, inapparent, in women at venereal disease clinic (Ferrer; Kraiselburd & Kouri), 91
- Herpes simplex virus(es)
- identification of, by DNA restriction endonuclease analysis with *EcoRI* (Gerson; Portnoy & Hamelin), 85
 - transmission of, condom as barrier to (Conant; Spicer & Smith), 94
- Homosexual men
- N. meningitidis* from pharynx of, *N. gonorrhoeae* inhibition by (Bisaillon & others), 296
 - partner numbers in, predictors of (Ross), 119
 - from San Francisco, enteric pathogenic protozoa in (Ortega & others), 59
- sexually transmitted diseases in, rates of (Short & others), 271
- single site *N. gonorrhoeae* infection in (Carlson & Haley), 312
- I**
- Infertility
- and chlamydial infection of upper genital tract in mice (Swenson & Schachter), 64
 - and sexually transmitted organisms (editorial) (Cates), 113
- K**
- Kenya
- H. ducreyi* infection in, cefotaxime for (Plummer & others), 304
 - single-dose thiamphenicol for gonorrhea in (Nsanze & others), 376
- Knolle, Jan Fryderyk, forgotten dissertation of on osseous syphilis (1763) (Lambert), 36
- L**
- Leukocytes, polymorphonuclear, in urethritis diagnosis (Ayra & others), 10
- M**
- Mice, infertility in, after chlamydial infection of upper genital tract (Swenson & Schachter), 64
- Microbial resistance, worldwide, to antimicrobial agents (Causse), 333
- Mouth. *See* Oral cavity
- Moxalactam, for uncomplicated gonorrhea in women (Jones; Ray & Zwickl), 287
- Mycoplasma(s), genital, and *N. gonorrhoeae*, isolated from male urethra, coexistence of (Alfa & Robertson), 131
- Mycoplasma hominis*, as human pathogen (Holmes), 159
- N**
- Neisseria gonorrhoeae*
- activity of thiamphenicol against (Ridgway & others), 432
 - AHU auxotype of, incidence of disseminated gonococcal infection with (Noble & others), 68
 - auxotypes of, susceptibility of, to norfloxacin, cefotaxime, cefuroxime, and erythromycin (Noble & Parekh), 152
 - and genital mycoplasmas, isolated from male urethra, coexistence of (Alfa & Robertson), 131
 - infections with, single-dose thiamphenicol for (Oriol; Loo & Felmingham), 410
 - single site in homosexual men (Carlson & Haley), 312
 - penicillinase-producing, in vitro susceptibility of, to thiamphenicol, in Netherlands (van Klingeren; van Wijngaarden & Dessens-Kroon), 364
 - plasmid patterns of (van Klingeren; van Wijngaarden & Dessens-Kroon), 364
 - urethritis caused by, ceftizoxime for (Harrison & others), 30
 - penicillin G plus sulbactam vs. spectinomycin for (Crider & others), 314
 - from pharynx of homosexual men, in vitro inhibition of, by *N. meningitidis* (Bisaillon & others), 296
 - resistance of, to antimicrobials (Dillon & Pauze), 353
 - susceptibility of, to cefuroxime, penicillin, and tetracycline, in Denmark—1979 (Boilerup), 308
 - to rifampicin, correlation of with protein I determinants (Bygdeman; Mårdh & Sandström), 366
 - to thiamphenicol (Lind), 360
 - correlation of with protein I antigenic determinants (Bygdeman; Mårdh & Sandström), 366

- in Netherlands (van Klingeren; van Wijngaarden & Dessens-Kroon), 364
- serogrouping of, and disseminated gonococcal infection (Sandström & others), 77
- urine as holding medium for (Rosey & Britt), 301
- Neisseria meningitidis*, from pharynx of homosexual men, inhibition of *N. gonorrhoeae* by (Bisaillon & others), 296
- Nitroso-chloramphenicol, in vitro toxicity of, vs. thiamphenicol and chloramphenicol (Yunis), 340
- Norflaxacin, susceptibility of *N. gonorrhoeae* auxotypes to (Noble & Parekh), 152

O

- Oral cavity, warts of, management of (Fiumara), 267
- Orchitis (Krieger), 173
- Osseous syphilis, Knolle's forgotten dissertation on (1763) (Lambert), 36
- Osteomyelitis, gonococcal (Black & Cohen), 96

P

- Pelvic inflammatory disease
 - clinical aspects of (discussion), 463
 - hospitalized, in sexually experienced U. S. women, age-specific risks for (Bell & Holmes), 291
 - microbial etiology of (Mårdh), 428
 - microbiologic aspects of (discussion), 435
 - treatment of, in view of etiology and risk factors (Weström), 437
- Penicillin
 - for gonococcal infections, vs. thiamphenicol and spectinomycin (Tupasi & others), 382
 - in vitro susceptibility of *N. gonorrhoeae* to, in Denmark—1979 (Bollerup), 308
- Penicillin G, plus sulbactam, vs. spectinomycin, for urethritis caused by penicillinase-producing *N. gonorrhoeae* (Crider & others), 314
- Penile ulcers, role of *H. ducreyi* in, in Bangkok, Thailand (Taylor & others), 148
- Percoll density gradient centrifugation, for purification of *T. pallidum*, Nichols strain (Hanff & others), 275
- Polymorphonuclear leukocytes, in urethritis diagnosis (Ayra & others), 10
- Probenecid, with ampicillin, vs. rosoxacin, for gonorrhea, (Cohen; Rein & Noble), 24
- Prostatitis syndromes, pathophysiology, diagnosis, and treatment of (Krieger), 100
- Protozoa, enteric pathogenic, in homosexual men from San Francisco (Ortega & others), 59
- Psychovenerology (editorial) (Ostrow), 182

R

- Rabbits, immunization of with *S. aurantia*, and nonresistance to *T. pallidum* (Graves; Drummond & Strugnell), 1
- Rifampicin, *N. gonorrhoeae* susceptibility to, correlation of with protein I determinants (Bygdeman; Mårdh & Sandström), 366
- Rosoxacin, vs. ampicillin and probenecid, for gonorrhea (Cohen; Rein & Noble), 24

S

- Salpingitis, thiamphenicol for (Vigé & Henrion), 433; (Kunz & Mac-ciocchi), 449

- San Francisco, enteric pathogenic protozoa in homosexual men from (Ortega & others), 59
- Sexually transmitted diseases
 - clinical aspects of (Petzoldt), 468
 - comparative rates of, among heterosexual men, homosexual men, and heterosexual women (Short & others), 271
 - microbiologic aspects of (Ridgway), 465
- Spectinomycin
 - vs. penicillin G plus sulbactam, for urethritis caused by penicillinase-producing *N. gonorrhoeae* (Crider & others), 314
 - vs. thiamphenicol, for gonorrhea, (Kim), 386
 - vs. thiamphenicol and spectinomycin, for gonococcal infections, (Tupasi & others), 382
- Spirocheta aurantia*, rabbit immunization with, and nonresistance to *T. pallidum* (Graves; Drummond & Strugnell), 1
- Sulbactam, with penicillin G, vs. spectinomycin, for urethritis caused by penicillinase-producing *N. gonorrhoeae* (Crider & others), 314
- Syphilis
 - osseous, Knolle's forgotten dissertation on (1763) (Lambert), 36
 - in sexually experienced U. S. women, age-specific risks of (Bell & Holmes), 291

T

- Tetracycline, in vitro susceptibility of *N. gonorrhoeae* to, in Denmark—1979 (Bollerup), 308
- Thailand, role of *H. ducreyi* in penile ulcers in (Taylor & others), 148
- Thiamphenicol
 - activity of, against *C. trachomatis* (Ridgway), 432
 - against *N. gonorrhoeae*, (Ridgway), 432
 - and aplastic anemia (Cooperative Study Group for Aplastic and Refractory Anemias), 335; (Aksoy & others), 347
 - for chancroid, in males (Latif; Crocchiolo & Lancioni), 454
 - clinical pharmacokinetics and toxicity of (Ferrari), 328; (discussion), 351
 - for gonococcal infections, vs. penicillin and spectinomycin (Tupasi & others), 382
 - for gonococcal urethritis, current experience with (Akaydin & Solok), 416
 - male, minute treatment in water for (Belda & others), 422
 - study of 1,230 cases (Belda; dos Santos & Belda), 420
 - for gonorrhea (Alessi; Monti & Santambrogio), 407
 - with extragenital infection (Calanchini), 398
 - one-minute treatment (Siboulet & others), 391
 - oral vs. intramuscular (Panikabutra & others), 404
 - single-dose (Mascaro & Capdevila), 388; (Murat & others), 414
 - in Kenya (Nsanze & others), 376
 - study of 4,500 males (Santos), 400
 - vs. cefotaxime (Notowicz & others), 379
 - vs. spectinomycin (Kim), 386
 - with uncomplicated infection (Stolz), 373
 - in vitro susceptibility of *N. gonorrhoeae* to, in Netherlands, (van Klingeren; van Wijngaarden & Dessens-Kroon), 364
 - in vitro toxicity of, vs. chloramphenicol and nitroso-chloramphenicol (Yunis), 340
 - for mixed female genital tract infection, for prophylaxis and treatment (Moroni & others), 444
 - for *N. gonorrhoeae* infections, single-dose (Oriol; Loo & Felmingham), 410
 - N. gonorrhoeae* susceptibility to, (Lind), 360
 - correlation of with protein I antigenic determinants (Bygdeman; Mårdh & Sandström), 366

- for nongonococcal urethritis, clinical evaluation of (Saito), 460
for salpingitis (Vigé & Henrion), 441; (Kunz & Macchiocchi), 449
susceptibility of anaerobic bacteria to (Finegold), 430
susceptibility of *G. vaginalis* to, in nonspecific vaginitis (Hubrechts & others), 456
Toewebs, condylomata lata of (Hira), 167
Treponema pallidum
Nichols strain, purification of, by Percoll density gradient centrifugation (Hanff & others), 275
nonresistance to after immunization with *S. aurantia*, in rabbit (Graves; Drummond & Strugnelli), 1
Tropics, clinical diagnosis of genital ulcer disease in men in (Fast & others), 72

U

- Ulcer(s)
genital, clinical diagnosis of, in men in tropics (Fast & others), 72
penile, role of *H. ducreyi* in, in Bangkok, Thailand (Taylor & others), 148
Urethral smears, polymorphonuclear leukocytes in, and urethritis diagnosis (Ayra & others), 10
Urethritis
gonococcal, cefizoxime for, (Harrison & others), 30

- caused by penicillinase-producing *N. gonorrhoeae*, spectinomycin vs. sulbactam for (Crider & others), 314
diagnosis of, polymorphonuclear leukocyte counts in (Ayra & others), 10
thiamphenicol for, current experience with (Akaydin & Solok), 416
minute treatment in water for (Belda & others), 422
study of 1,230 male patients (Belda; dos Santos & Belda), 420
nongonococcal, thiamphenicol for, clinical evaluation of (Saito), 460
Urinary tract infections, in women at sexually transmitted disease clinic (Wong; Fennel & Stamm), 18
Urine, as holding medium for *N. gonorrhoeae* (Rosey & Britt), 301

V

- Vaginitis
nonspecific, incidence of among women at sexually transmitted diseases clinic (Embree; Caliendo & McCormack), 81
susceptibility of *G. vaginalis* to thiamphenicol in (Hubrechts & others), 456
Verrucae. See Warts

W

- Warts, of oral cavity, management of (Fiumara), 267

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION
(Required by 39 U.S.C. 3685)

Date of Filing—October 1, 1984
Title of Publication—Sexually Transmitted Diseases
Publication No. 371350
Frequency of Issue—Quarterly: Jan-March, April-June, July-Sept, Oct-Dec
Subscription Price—\$39.00
Location of Known Office of Publication—2350 Virginia Avenue, Hagerstown, MD 21740
Location of the Headquarters of General Business Offices of the Publishers—East Washington Square, Philadelphia, PA 19105
Publisher—American Venereal Disease Association, East Washington Square, Philadelphia, PA 19105
Editor—William M. McCormack, MD, Downstate Medical Center, 450 Clarkson Avenue, Brooklyn, NY 11203
Managing Editor—Deborah G. Huey, East Washington Square, Philadelphia, PA 19105
Owner—American Venereal Disease Association, Box 22349, San Diego, CA 92122
Known Bondholders, Mortgagees and Other Security Holders Owning or Holding 1% or More of Total Amount of Bonds, Mortgages or Other Securities—None
The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes has not changed during preceding 12 months.

	Average No. Copies Each Issue during Preceding 12 Months	Actual No. of Copies of Single Issues Published Nearest to Filing Date
A. Total No. Copies (Net Press Run)	3,080	3,030
B. Paid Circulation		
1. Sales through dealers and carriers, street vendors and counter sales	—	—
2. Mail Subscription	2,488	2,532
C. Total Paid Circulation	2,488	2,532
D. Free Distribution by Mail, Carrier or Other Means, Samples, Complimentary, and Other Free Copies	64	62
E. Total Distribution (Sum of C and D)	2,552	2,594
F. Copies Not Distributed		
1. Office use, left over, unaccounted, spoiled after printing	528	436
2. Return from News Agents	—	—
G. Total (Sum of E, F1, and 2—should equal net press run shown in A)	3,080	3,030

I certify that the statements made by me above are correct and complete.
Joseph W. Lippincott III, Associate Publisher

